

## MASSEY FERGUSON

Α/Α	ΤΥΠΟΣ	ΙΣΧΥΣ	ΑΡ. ΑΠΟΦΑΣΗΣ	ΑΔΑ	ΚΙΝΗΤΗΡΑΣ	ΑΡ. ΑΠΟΦΑΣΗΣ
1	130 - 8 SNMY	Δ 31,10	E / 186 - 1967			
2	135	45,2	E / 187 - 1968			
3	165	58,4	E / 188 - 1968			
4	133	34,1	E / 299 - 1969			
5	175	68,9	E / 277 - 1968			
6	130 V P M	27,2	E / 322 - 1969			
7	178	76,9	E / 359 - 1969			
8	1080 ( ή 595 )	27,2	E / 468 - 1972			
9	185	75,1	E / 472 - 1972			
9α	185 S	75,10	E / 472 - 2082 / 10 .10. 82			
10	188	75,4	E / 473 - 1973			
10α	188 S	75,4	170559 / 4153 / 321 / 23 .12. 78			
10β	188	75,4	126014 / 27 .3. 9			
11	1135	Δ 120,8	151707 / 341 / 24 .10. 78			
12	135 VINEYARD	45	125815 / 1101 / 409 / 10 .7. 79			
13	158 - 8E	56	133104 / 2445 / 744 / 12 .9. 79			

14	285 - 8G	71	154676 / 972 / 22 .4. 78			
14α	285 UA	71	185686 / 13 - 12 - 90 ΔΙΕΥΚ.ΕΥΚ.			
15	275 - 8G	67,2	159005 / 1895 / 8 .9. 78			
15α	275 - 8 S, 275 - 8 SU	67,20	128082 / 2914 / 100 / 21 .1. 82			
16	245	Δ 42,90	134983 / 2792 / 12 .9. 79			
		46,5	123163 / 2204 / 716 / 25 .9. 81			
17	135 MK III	45	135269 / 2811 / 805 / 3 .11. 79			
18	135 SPECIAL	45,2	135270 / 2810 / 806 / 3 .11. 79			
19	240	48,3	123159 / 613 / 9 .4. 80			
20	265	63,8	123158 / 612 / 22 .3. 80			
21	290 (2 WD )	80,3	123157 / 611 / 22 .3. 80			
			112396/559/253/16.2.82 ΔΙΕΥΚ.ΕΥΚ.			
21α	290 8 S	80,30	128082 / 2914 / 1000 / 21 .1. 82			
22	298	88,4	119198 / 1051 / 13 .7. 82			

			116253 / 9 .5. 84			
23	298 RU	88,4	111912/212/21.2.83 πρ.έγκρ. μέχρι 31.8.83			
			(επανάληψη στο ορθό στις 29.3.83 )			
			112728 / 22 .3. 84 οριστ.έγκρ.			
24	168	69,4	127261/ 1694 / 29 .3. 83			
25	290 ( 4 WD )	80,3	117360 / 17 .5. 84			
26	174 - 2S	64,73	120473/12.6.84 προσ.έγκρ. μέχρι 31.12.84			
			105924 / 8 .5. 85 οριστ.έγκρ.			
26α	174 - 4 S	64,73	111973 / 1 .7. 85			
27	2640 RW	113,3	120349/12.6.84 προσ.έγκρ. μέχρι 31.12.84			
			140851 / 14 .3. 86 οριστ.			
28β	590 8 RW	78,4	123263 / 29 .6. 88			
28	590 ( 2 WD )	78,4	126651 / 3 .9. 84			
28α	590 ( 8 R ) με ( 4 WD )	78,40	98464 / 19 .2. 85			

29	565	60,7	126652 / 15 .10. 84			
30	699 RU	100,09	96653 / 28 .1. 85 (προσωρινή μέχρι 31-12-85)			
31	275 (2, 4WD)	72,69	199322/20.9.85 προσ.έγκρ. μέχρι 30.6.86			
			125868/1 .11. 85			
32	250	48,3	140281 / 14 .3. 86.			
33	125 MK III	43,4	141995 / 3 .4. 86			
34	399 (2 WD)	104	135457/10-8-87 προσ.έγκρ. μέχρι 31.8.88			
			παράταση 120205 / 18.1.89 μέχρι 31.7.89			
			134199 / 12 .7. 89 οριστ.έγκρ.			
	399 (4 WD)	104	175782 / 28.8.90			
34α	399 (2, 4WD )	104	126916 / 8 .4. 92			
35	390	81,25	135458/10-8-87 πρ. έγκ. μέχρι 31-8-88			
			οριστ.έγκρ.126892 / 5 .9. 88			

35α	390 - 4	81,25	126892 / 5 .9. 88 οριστική			
35β	390 (4 WD)	81,25	143732 / 22 .12. 87			
36	355	59,69	137672/24-9-87 προσ. έγκρ. μέχρι 30-9-88			
			127263 / 5 .9. 88 οριστική			
37	398	95,48	141745 / 9.11.87 πρ.έγκ.μέχρι 30.11.88			
	398 (4 WD)		136912 / 29 .8. 89 οριστ.έγκρ.			
			136816 / 1 .8. 91			
38	375	72,36	110327/22.1.88 πρ. έγκ. μέχρι 31.1.89			
	375 - 4	72,36	111802/3.2.88 πρ. έγκ. μέχρι 31.1.89			
			129347 / 10 - 5 - 89 οριστική.			
39	365	66,85	111092/27.1.88 πρ. έγκ. μέχρι 30.1.89			
			οριστική έγκριση 136912 / 29 .8. 89			

40	1200	106,1	117818/20.4.88 πρ. έγκ. μέχρι 30.4.89			
			124248 / 27 - 2 - 91 οριστική			
41	698 TURBO	Δ 95,04	123264/29-6-88 πρ. έγκ. μέχρι 30.6.89			
			126693/22.4.93 παράτ. μέχρι 31.12.93			
42	2680 ( 4 WD )	113,27	135844 / 2 .1. 89			
43	374 S ( TL 32 N / N )	65	142171 / 15 .11. 89 πρ. έγκ. μέχρι 30-11-90			
	( 2, 4WD )		120692 / 27 .1. 92 οριστ.			
44	384 S ( 2 WD )	70,72	177033/22.8.90 πρ. έγκ. μέχρι 31-8-92			
	384 S 4 ( 4 WD )	70,72	124798/14.4.93 παράτ. μέχρι 30-6-93			
			126211 / 9 .4. 93			
			139432 / 20 .9. 93 Οριστική.			
45	362 ( 4 WD )	62	186456/28-12-90 πρ. έγκ. μέχρι 31-12-92			

			130099 / 20 .5. 92 οριστική.			
46	399 (2, 4WD)	104	128469/26-4-91 πρ. έγκ. μέχρι 30-4-93			
47	354 V και 354 . 4 V	47	128470/26-4-91 πρ. έγκ. μέχρι 30-4-93			
			139433 / 10 .9. 93 οριστική			
48	253	53,04	198471/26-4- 91 πρ. έγκ. μέχρι 30-4-93			
			128042 / 17 .4. 92 οριστ.έγκριση			
49	698	88,4	125448/18-3-91 πρ. έγκ. έως 31-3-93			
			ΔΓ2CO/22 .9. 95 οριστική			
50	362	62	186456/8-1-91 πρ. έγκ. μέχρι 31-1-93			
			130099 / 20 .5. 92 οριστ.έγκρ.			
51	155	56	131463 / 26 .7. 91			
	158					
52	399 ( 2, 4 WD )	113	126916 / 8.4.92			
53	240 ( 4 WD )	48,3	137293 / 24 .8. 92			

54	3125 ( κωδ.Β101 / 4 )	127,3	137295 / 24 .8. 92			
55	1080 A	97,2	138667 / 14 .9. 92			
56	362 ( 4 WD)	62	145840 / 9 .12. 92			
56α	572 (2, 4 WD)	69,3	143649 / 30 .11. 92			
57	1114 A	102,23	122905 / 15 .2. 93			
58	3655	155	ΔΓΕD/18 .4. 95			
59	3120 - 4	120	ΔΓΕC/18 .4. 95			
60	394 - 4 F ( TL 40 DT / N )	Δ 74,40	ΔΓ1FD/17 .7. 95			
61	8130	155	ΔΓ42C/21.12.95			
62	6170	110,2	ΔΓ42A/21.12.95			
63	396 C ( TL 25 C / D και TL 25 C / DV)	79,2	ΔΓ42D/21.12.95			
64	6180 ή 3120 ( PS 4 )	120	ΔΓ42B/21.12.95			
65	8160	200	ΔΓ498/8.2.96			
66	6160	100	ΔΓ988/1.7.97			
67	6150	95,06	ΔΓ989/1.7.97			
68	4245 ( 2 WD )	87,8	ΔΓΑ7F/116047/5.11.97 επ. στο ορθό 31.7.98			



69	4245 ( 4 WD )	87,8	ΔΓΑ80/116048/5.11.97 επ. στο ορθό 31.7.98			
70	4260 ( 4 WD )	106	ΔΓΑ83/116055/ 5.11.97 επ. στο ορθό 31.7.98			
71	4260 ( 2 WD )	106	ΔΓΑ84/116054/5.11.97 επ. στο ορθό 31.7.98			
72	4255 ( 4 WD )	99	ΔΓΑ82/116046/5.11.97 επ. στο ορθό 31.7.98			
73	4255 ( 2 WD )	99	ΔΓΑ81/116045/5.11.97 επ. στο ορθό 31.7.98			
74	575	68,4	ΔΓΑ91/6.11.97			
75	3080	Δ 92,5	ΔΓΑΕ1/24.11.97			
76	4270 ( 4 WD )	114	ΔΓ ΑF 6/116050/1.12.97 επ. στο ορθό 31.7.98			
77	4270 ( 2 WD )	114	ΔΓ ΑF 5/116049/1.12.97 επ. στο ορθό 31.7.98			
78	253 ( 4 WD )	53,04	ΔΓΒ5Ε/22.12.97			
79	350 ( 2 WD )	47,46	ΔΓΒD3/5.3.98			

80	6190 ( 4 WD )	134,6	ΔΓΒΕ5/13.3.98			
81	1250 ( ISEKI TK 5 )	31,96	402070/30-12-98			
82	1215 ( ISEKI TM 2 )	17,27	115742/30-12-98			
83	373 ( 4 WD )	51,9	1019/21-5-99			
84	393 ( 4 WD )	67,2	1020/21-5-99			
85	6235 ( 4 WD )	76,4	2955/28-7-99			
86	6245 ( 4 WD )	84	5851/28-7-99			
87	6255 ( 4 WD )	95	5852/28-7-99			
88	6260 ( 4 WD )	105	5853/28-7-99			
89	6265 ( 4 WD )	105	5854/28-7-99			
90	6270 ( 4 WD )	115	5855/28-7-99			
91	6280 ( 4 WD )	125	5856/28-7-99			
92	6290 ( 4 WD )	134,2	5857/28-7-99			
93	4235 ( 2, 4WD )	65,96	6427/3-9-99			
94	394 F	Δ 74,4	5291/28-7-99			
	394 S					
	394 A					
	394 T - A					
	394 GE					
95	354 V	47	5581/28-6-99			
	354 GE					
	354 S					
	354 F					
96	374 S	72,36	5580/28-6-99			

	374 F					
	374 GE					
	374 A					
	374 V					
97	4225 ( 2,4 WD )	58,48	6425/21-9-99			
98	8220 ( 4 WD )	161,57	9157/9-11-99			
99	8250 ( 4 WD )	195,8	9156/9-11-99			
100	8240 ( 4 WD )	179,52	9158/8-11-99			
101	8210 ( 4 WD )	142,36	7291/9-11-99			
102	3235 - 4 S	78	3107/9-6-2000			
103	3245 - 4 S	88	3119/9-6-2000			
104	3235 - 4 GE	78	3117/9-6-2000			
105	3255 - 4 FA	91	3121/9-6-2000			
106	3225 - 4 GE	67	3115/9-6-2000			
107	3225 - 4 F	67	3101/9-6-2000			
108	3235 - 4 F	78	3103/9-6-2000			
109	3225 - 4 S	67	3105/9-6-2000			
110	8280 ( 4 WD )	272	1744/4-7-2000			
111	3690 - 4 (PS / 4)	190,4	5126/31-10-2000			
112	3210 - 4 F	54	3099/31-10-2000			
113	3210 - 4 S	54	3197/1-11-2000			
114	3225 - S	67	3104/1-11-2000			
115	3245 - 4 FA	88	3113/1-11-2000			

116	3225 - 4 V	66,64	8999/29-12-2000			
117	3680 ( 2 WD )	Δ 164	11038/4-5-2001			
118	3355 F (4WD)	88,13	14680/25-1-02		PERKINS 5783/2200	e11-97/68CA-00/000-0086
119	3350 F (4WD)	86,5	14681/25-1-02		PERKINS 5632/2200	E11-96R-000005
			14221/Γ4/2433/24-11-06 (Διευκρίνιση)			e11-97/68CA-00/000-0086-02
120	3340 F B381 (4WD)	73,17	14682/25-1-02		PERKINS 5702/2200	E11-96R-000018
			Διόρθωση 14359/Γ4/1710/19-9-03			
121	3330 S (4WD)	62,56	14674π.ε./25-4-02		PERKINS 5633/2200	E11-96R-000008
122	3315 F (4WD)	49,78	14685π.ε./25-4-02		PERKINS 1962/2250	e11-97/68CA-00/000-0001
123	3330 V (4WD)	62,56	14664/14-5-02		PERKINS 5633/2200	E11-96R-000008
124	3340 S (4WD)	73,17	14672π.ε./25-4-02		PERKINS 5702/2200	E11-96R-000018
125	3355 S (4WD)	88,13	14668π.ε./25-4-02		PERKINS 5783/2200	e11-97/68CA-00/000-0086
126	3340 GE (4WD)	73,17	14673π.ε./25-4-02		PERKINS 5702/2200	E11-96R-000018
127	3315 V (4WD)	49,37	14666π.ε./25-4-02		PERKINS 1962/2250	e11-97/68CA-00/000-0001

128	3330 GE (4WD)	62,56	14675т.ε./25-4-02		PERKINS 5633/2200	E11-96R-000008
129	3330 F (4WD)	62,56	14683/25-1-02		PERKINS 5633/2200	E11-96R-000008
130	3340 V (4WD)	73,17	14663/25-1-02		PERKINS 5702/2200	E11-96R-000018
131	4370 (2,4 WD)	119,00	11117/6-6-02		PERKINS 1931/2200	E11-96R-000004
132	3315 GE (4WD)	49,37	14679т.ε./25-4-02		PERKINS 1962/2250	e11-97/68CA-00/000-0001
133	4335 (2,4 WD)	79,70	11115/24-5-02		PERKINS 5702/2200	E11-96R-000018
134	4360 (2, 4WD)	107,44	11116/6-6-02		PERKINS 1933/2200	E11-96R-000001
135	4355 (2,4 WD)	101,28	14381/12-9-02		PERKINS 5586/2200	e11-74/150-0052-00
136	4345 (2,4 WD)	91,9	14382/12-9-02		PERKINS 5632/2200	e11-74/150-0054-00
137	3315 S (4WD)	49,37	14540/7-10-02		PERKINS 1962/2250	e11-97/68CA-00/000-0001
138	3330 S (2WD)	62,56	14537/7-10-02		PERKINS 5633/2200	e13-74/150-2000/25-0036-00
139	3030 V (2WD)	62,56	14538/7-10-02		PERKINS 5633/2200	e13-74/150-2000/25-0037-00
140	1335	35,36	15967/30-12-02		mitsubishi S4L-Y162ST	e11-97/68DA-00/000-0083-00
141	1345	41,48	15968/30-12-02		mitsubishi S4L-Y1T62ST	e11-97/68DA-00/000-0142-00
142	1325	26,52	15960/30-12-02		mitsubishi S3L2-Y162ST	e11-97/68DA-00/000-0083-00

143	6485, 6490, 6495		15246/15-12-03			
			Αντικατάσταση με 11590/30-7-04			
144	7465 (F35)	118,32	15972/31-12-03		PERKINS 2408/2200	e11-97/68FA-2001/63-0211-02
145	7475 (F36)	123,96	15972/31-12-03		PERKINS 2366/2200	e11-97/68FA-2001/63-0211-02
146	7480 (F37)	144,16	15972/31-12-03		PERKINS 2368/2200	e11-97/68FA-2001/63-0211-02
147	5465 (2, 4 WD)	118,32	10214/Γ4/1432/11-6-04		PERKINS 2362/2200	e11-97/68FA-2001/63-0211-02
148	6465 (2,4 WD)	121,04	16289/Γ4/2448/23-6-04		PERKINS 2362/2200 ή	e11-97/68FA-2001/63-0211
					2408/2200 με υπερτροφοδότη	
149	6475	137,22	οικ. 12069/Γ4/1140/23-6-04		PERKINS 2364/2200	e11-97/68FA-2001/63-0211
			επέκταση οικ.13480/Γ4/2002/2-9-04			
150	6480	137,22	οικ.12068/Γ4/1138/23-6-04		PERKINS 2364/2200 ή	e11-97/68FA-2001/63-0211

			επέκταση οικ.13481/Γ4/2004/2-9-04		2366/2200 με υπερτροφοδότη	
151	7485 (4WD)	153,68	11206/Γ4/1651/30-6-04		SISU DIESEL 66.255 ETA	e17-97/68EA-0016-01
152	7495 (4WD)	186,32	11591/Γ4/1747/30-6-04		SISU DIESEL 66.253 ETA	e17-97/68EA-0016-01
153	2405 (4WD)	35,36	11205/Γ4/1650/12-7-04		MITSUBISHI S4L-Y162 ST	e11-97/68DA-00/000-0083-00
154	2410 (WD)	40,80	11205/Γ4/1650/12-7-04		MITSUBISHI S4L-Y1T62 ST	e11-97/68DA-00/000-0142-01
155	2415 (4WD)	47,06	11205/Γ4/1650/12-7-04		MITSUBISHI S4L2-T	e11-97/68DA-00/000-0142-01
156	5445 (2,4 WD)	91,12	10213/Γ4/1431/22-6-04		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-00
157	5455 (2,4 WD) (επέκταση)	98,60	10213/Γ4/1431/22-6-04		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-00
158	3425S (2,4WD)	65,28	11667/Γ4/1762/22-7-04		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
159	3425 GE (2,4WD)	65,28	11667/Γ4/1762/22-7-04		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
160	3435S (2,4WD)	81,60	11667/Γ4/1762/22-7-04		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02

			οικ.152076/Γ4/2539/17-11-04			e11-97/68GA-2001/63-0241-04
161	3435 GE (2,4WD)	81,60	11667/Γ4/1762/22-7-04		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02
			οικ.15207/Γ4/2539/17-11-04 (Επέκταση)			e11-97/68GA-2001/63-0241-04
162	3445S (2,4WD)	91,12	11667/Γ4/1762/22-7-04		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
163	3445GE (2,4WD)	91,12	11667/Γ4/1762/22-7-04		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
164	3455S (2,4WD)	98,60	11667/Γ4/1762/22-7-04		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
165	3455 GE (2,4WD)	98,60	11667/Γ4/1762/22-7-04		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
166	6485	153,68	11590/Γ4/1737/30-7-04		SISU DIESEL 66255	e17-97/68EA-00/000-0016
167	6490	170,00	11590/Γ4/1737/30-7-04		SISU DIESEL 66259	e17-97/68EA-00/000-0016
168	6495	186,32	11590/Γ4/1737/30-7-04		SISU DIESEL 66255	e17-97/68EA-00/000-0016
169	3455F	72,50	11204/Γ4/1649/9-7-04		PERKINS 2167/2000	e11-97/68GA-2001/63-0245-02



170	3445F	67,00	11204/Γ4/1649/9-7-04	PERKINS 2165/2100	e11-97/68GA-2001/63-0245-02
171	3435F (2,4WD)	81,60	12932/Γ4/2069/7-9-04	PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02
172	3425F (2,4WD)	65,28	13571/Γ4/2154/7-9-2004	PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
			οικ.15209/Γ4/2536/17-11-04		e11-97/68GA-2001/63-0245-04
173	7490 (4WD)	179,52	14018/Γ4/2279/12-10-04	SISU DIESEL 66.254 ETA	e17-97/68EA-97/68EA-0016-01
174	5425 (2,4WD)	73,44	13890/Γ4/2255/12-10-04	PERKINS 2159/2200	e11-97/68GA-2001/63-0241-01
			οικ.15208/Γ4/2531/17-11-04		e11-97/68GA-2001/63-0241-04
175	5435 (2,4WD)	81,60	13890/Γ4/2255/12-10-04	PERKINS 2161/2200	e11-97/68GA-2001/63-0241-01
			οικ.15208/Γ4/2531/17-11-04		e11-97/68GA-2001/63-0241-04
176	5445 (2,4WD)	91,12	13916/Γ4/2259/12-10-04	PERKINS 2165/2200	e11-97/68GA-2001/63-0245-00
			οικ.14957/Γ4/2494/18-11-04		e11-97/68GA-2001/63-0245-04

177	5455 (2,4WD)	100,64	13916/Г4/2259/12-10-04	PERKINS 2359/2200	e11-97/68GA-2001/63-0245-00
			οικ. 14957/Г4/2494/18-11-04		
178	5460 (2,4WD)	113,56	13223/Г4/2115/14-10-04	PERKINS 2173/2200	e11-97/68FA-2001/63-0214-01
			14809/Г4/2490/23-11-04		
179	4345 (2, 4WD)	91,9	14382/12-9-02	PERKINS 5632/2200	e11-97/68CA-00/000-0086-06
			14065/Г4/2287/26-10-04		
180	4355 (2, 4WD)	101,7	14381/12-9-02	PERKINS 5586/2200	e11-97/68CA-00/000-0086-06
			14061/Г4/2291/26-10-04		
182	5460	113,6	14809/Г4/2490/23-11-04	PERKINS 2173/2200	e11-97/68FA-2001/63-0214-02
183	3435 F (2, 4WD)	81,6	12932/Г4/2069/7-9-04	PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02
			14457/Г4/2418/8-11-04		e11-97/68GA-2001/63-0241-04
184	2405 (4 WD)	35,36	15297/Г4/2644/22-12-04	mitsubishi S4L-Y162ST	e11-97/68DA-00/000-0083-02

185	5465 (2,4WD)	118,32	οικ.15306/Γ4/2597/23-11-04		PERKINS 2362/2200	e11-97/68FA-2001/63-0211-03
			10461/Γ4/1516/18-5-05			
186	3425 V (2,4WD)	65,28	ΔΕ/0005-00/30-3-05		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-04
187	3435 V (2,4WD)	81,6	ΔΕ/0005-00/30-3-05		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02
188	3435 V (2,4WD)	81,6	ΔΕ/0005-01/5-4-05		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-04
189	7490 (4WD)	170	9965/Γ4/1377/15-4-05 (Επέκταση Ι)		SISU DIESEL 66.364 ETA	e17-97/68EA-2002/88-0016-10
190	7485 (4WD)	153,68	9632/Γ4/1306/13-4-05 (Επέκταση Ι)		SISU DIESEL 66.351 ETA	e17-97/68EA-2002/88-0016-10
191	7495 (4WD)	186,32	9967/Γ4/1378/13-4-05 (Επέκταση Ι)		SISU DIESEL 66.365 ETA	e17-97/68EA-2002/88-0016-10
192	3340 S (4WD)	73,17	10873/Γ4/1625/3-6-05 (Επέκταση)		PERKINS 5702/2200	E11-96R-000018
193	6460 (2,4WD)	113,56	ΔΕ/0034-00/15-4-05		PERKINS 2294/2200 ή	e1-97/68FA-2001/63-0242-02
					2276/2200 (με υπερτροφοδότη)	

194	5445 (2,4WD)	91,12	οικ. 12028/Γ4/1687/11-7-05 (Επέκταση)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-00
						e11-97/68GA-2001/63-0245-04
195	5455 (2,4WD)	100,64	οικ. 12028/Γ4/1687/11-7-05 (Επέκταση)		PERKINS 2359/2200	e11-97/68GA-2001/63-0245-00
196	7465 (4WD)	118,32	10462/Γ4/1522/24-5-05 (Επέκταση II)		PERKINS 2408/2200	e11-97/68FA-2001/63-0211-02
197	7475 (4WD)	123,96	10462/Γ4/1522/24-5-05 (Επέκταση II)		PERKINS 2366/2200	e11-97/68FA-2001/63-0211-02
198	7480 (4WD)	144,16	10462/Γ4/1522/24-5-05 (Επέκταση II)		PERKINS 2368/2200	e11-97/68FA-2001/63-0211-02
199	5425 (2,4WD)	73,44	10557/Γ4/1557/8-6-05 (Επέκταση)		PERKINS 2159/2200	e11-97/68GA-2001/63-0241-01
						e11-97/68GA-2001/63-0241-04
200	5435 (2,4WD)	81,6	10557/Γ4/1557/8-6-05 (Επέκταση)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-01
						e11-97/68GA-2001/63-0241-04

201	3435 CF (ερπυστριοφόρος)	79,15	ΔΕ/0046-00/6-6-05	PERKINS 2161/2200	e11-97/68GA-2001/63-0241-03
					e11-97/68GA-2001/63-0241-04
202	5460 (2,4WD)	113,56	12027/Γ4/1686/11-6-05	PERKINS 2173/2200	e11-97/68FA-2001/63-0214-01
203	5465 (2,4WD)	118,32	10551/Γ4/1551/26-7-05 (Επέκταση III)	PERKINS 2362/2200	e11-97/68FA-2001/63-0211-03
204	7485 (4WD)	153,68	11598/Γ4/1794/26-7-05 (Επέκταση II)	SISU DIESEL 66.351 ETA	e17-97/68EA-2001/63-0016-08
205	410 (2WD)	53,72	ΔΕ/0042-00/23-5-05	PERKINS 2226/2200	e11-97/68GA-2001/63-0241-04
			ΔΕ/0042-01/29-7-05		
206	420 (2,4WD)	65,28	ΔΕ/0042-00/23-5-05	PERKINS 2230/2200	e11-97/68GA-2001/63-0245-04
			ΔΕ/0042-01/29-7-05		
207	6460 (2,4WD)	113,56	ΔΕ/0034-01/26-7-05	PERKINS 2294/2200 ή	e1-97/68FA-2001/63-0242-02
			13979/Γ4/2313/24-11-05 (Διευκρίνιση)	2276/2200 (με υπερτροφοδότη)	

208	6465 (2,4WD)	121,04	οικ.9046/Γ4/1187/11-2-05	PERKINS 2362/2200 ή	ε11-97/68FA-2001/63-0211
			10553/Γ4/1553/9-6-05 (Επέκταση I)	2408/2200 (με υπερτροφοδότη)	
209	6480 (4WD)	137,224	οικ.9048/Γ4/1189/11-2-05	PERKINS 2364/2200 ή	ε11-97/68FA-2001/63-0211
			οικ.11392/Γ4/1657/9-6-05 (Επέκταση I)	2366/2200 (με υπερτροφοδότη)	
210	6475 (4WD)	137,22	οικ.9047/Γ4/1188/11-2-05	PERKINS 2364/2200	ε11-97/68FA-2001/63-0211
			10460/Γ4/1515/9-6-05 (Επέκταση I)		
211	6465 (2,4WD)	121,04	10556/Γ4/1556/5-8-05 (Επέκταση II)	PERKINS 2362/2200 ή	ε11-97/68FA-2001/63-0211
				2408/2200 (με υπερτροφοδότη)	
212	6480 (4WD)	149,6	οικ.12518/Γ4/1990/5-8-05 (Επέκταση II)	PERKINS 2622/2200 ή	ε11-97/68FA-2001/63-0211
				2194/2200 (με υπερτροφοδότη)	

213	6475 (4WD)	137,22	οικ.12519/Γ4/1989/5-8-05 (Επέκταση II)	PERKINS 2364/2200	e11-97/68FA-2001/63-0211
214	3455 C	97,24	ΔΕ/0062-00/7-9-05	PERKINS 2169/2200	e11-97/68GA-2001/63-0245-02 & 03 & 04
215	6455	101,73	ΔΕ/0063-00/7-9-05	PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02 & 03 & 04
216	6465	118,32	12741/Γ4/2075/19-9-05 (Επέκταση III)	PERKINS 2362/2200	e11-97/68FA-2001/63-0211
217	6475	133,96	οικ.13121/Γ4/2096/19-9-05 (Επέκταση III)	PERKINS 2364/2200	e11-97/68FA-2001/63-0211
218	6480	146,88	οικ.13122/Γ4/2097/19-9-05 (Επέκταση III)	PERKINS 2622/2200 ή 2194/2200 (με υπερτροφodότη)	e11-97/68FA-2001/63-0211
219	6485	159,1	11600/Γ4/1796/22-9-05 (Επέκταση III)	SISU DIESEL 66.351 ETA	e17-97/68EA-2002/88-0016-10
220	6490	176,8	11600/Γ4/1796/22-9-05 (Επέκταση III)	SISU DIESEL 66.364 ETA	e17-97/68EA-2002/88-0016-10

221	6495	193,8	11600/Γ4/1796/22-9-05 (Επέκταση III)		SISU DIESEL 66.365 ETA	e17-97/68EA-2002/88-0016-10
222	7465 (2,4WD)	118,32	οικ.13216/Γ4/2158/23-9-05 (Επέκταση III)		PERKINS 2408/2200	e17-97/68FA-2001/63-0211-02
223	7475 (2,4WD)	123,96	οικ.13216/Γ4/2158/23-9-05 (Επέκταση III)		PERKINS 2366/2200	e17-97/68FA-2001/63-0211-02
224	7480 (2,4WD)	144,16	οικ.13216/Γ4/2158/23-9-05 (Επέκταση III)		PERKINS 2368/2200	e11-97/68FA-2001/63-0211-02
225	2405	35,36	13795/Γ4/2281/14-11-05 (Επέκταση I)		MITSUBISHI S4L-Y162ST	e11-97/68DA-00/000-0083-00
226	2410	40,8	13795/Γ4/2281/14-11-05 (Επέκταση I)		MITSUBISHI S4L-Y1T62ST	e11-97/68DA-00/000-0083-00
227	2415	47,06	13795/Γ4/2281/14-11-05 (Επέκταση I)		MITSUBISHI S4L2T	e11-97/68DA-00/000-0083-00
228	6465	121,04	13060/Γ4/2141/14-11-05 (Επέκταση IV)		PERKINS 2362/2200 ή	e11-97/68FA-2001/63-0211
					2408/2200 (με υπερτροφοδότη)	



229	6475	137,22	13061/Γ4/2142/14-11-05 (Επέκταση II)		PERKINS 2364/2200	e11-97/68FA-2001/63-0211
230	6480	137,22	13062/Γ4/2143/14-11-05 (Επέκταση IV)		PERKINS 2364/2200 ή 2366/2200 (με υπερτροφοδότη)	e11-97/68FA-2001/63-0211
231	7485 (4WD)	153,68	12971/Γ4/2124/19-10-05 (Επέκταση III)		SISU DIESEL 66.351 ETA	e17-97/68EA-97/68EA-0016-10
232	7490 (4WD)	170	12972/Γ4/2125/19-10-05 (Επέκταση II)		SISU DIESEL 66.364 ETA	e17-97/68EA-97/68EA-0016-10
233	7495 (4WD)	186,32	12973/Γ4/2126/19-10-05 (Επέκταση II)		SISU DIESEL 66.365 ETA	e17-97/68EA-97/68EA-0016-10
234	3425 V (2,4WD)	65,28	ΔΕ/0005-01/5-4-05		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-04
235	3435 V (2,4WD)	81,6	ΔΕ/0005-01/5-4-05		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-04
236	4435 (2,4WD)	74,12	ΔΕ/0097-00/23-2-06		SISU DIESEL 33.316 DT	e17-97/68GA-2001/63-0021-00

237	4435 L (2,4WD)	74,12	ΔΕ/0097-00/23-2-06		SISU DIESEL 33.378 DT	e17-97/68GA-2002/88-0021-03
238	4445 (2,4WD)	87,72	ΔΕ/0097-00/23-2-06		SISU DIESEL 44.308 DT	e17-97/68GA-2001/63-0021-00
239	4445 L (2,4WD)	87,72	ΔΕ/0097-00/23-2-06		SISU DIESEL 33.377 DTA	e17-97/68GA-2002/88-0024-00
240	4455 (2,4WD)	97,92	ΔΕ/0097-00/23-2-06		SISU DIESEL 44.307 DT	e17-97/68GA-2001/63-0021-00
241	4455 L (2,4WD)	97,92	ΔΕ/0097-00/23-2-06		SISU DIESEL 33.376 DTA	e17-97/68GA-2002/88-0024-00
242	7465 (2,4WD)	114,2	9631/Γ4/1305/30-9-05 (Επέκταση IV)		PERKINS 2366/2200	e11-97/68FA-2001/63-0211-03
243	7475 (2,4WD)	155	9631/Γ4/1305/30-9-05 (Επέκταση IV)		PERKINS 2368/2200	e11-97/68FA-2001/63-0211-03
244	7480 (2,4WD)	163	9631/Γ4/1305/30-9-05 (Επέκταση IV)		PERKINS 2194/2200 & 2622/2200	e11-97/68FA-2001/63-0211-03
245	420 (2,4WD)	65,28	ΔΕ/0042-02/31-7-06		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-05 & 06
246	420 (2,4WD)	65,28	ΔΕ/0042-03/1-8-06		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-05 & 06

247	410 (2,4WD)	53,72	ΔΕ/0042-03/1-8-06	PERKINS 2226/2200	e11-97/68GA-2001/63-0245-05 & 06
248	7465 (2,4WD)	114,2	11445/Γ4/1914/5-9-06 (Επέκταση V)	PERKINS 2366/2200	e11-97/68FA-2001/63-0211-03
249	7475 (2,4WD)	155	11445/Γ4/1914/5-9-06 (Επέκταση V)	PERKINS 2368/2200	e11-97/68FA-2001/63-0211-03
250	7480 (2,4WD)	163	11445/Γ4/1914/5-9-06 (Επέκταση V)	PERKINS 2194/2200 & 2622/2200	e11-97/68FA-2001/63-0211-03
251	6445 (2,4WD)	91,12	ΔΕ/0114-00/21-7-06 & ΔΕ/0114-01/29-9-06	PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02 & 05 & 06
252	6465	121,04	11290/Γ4/1889/2-8-06 (Επέκταση V)	PERKINS 2362/2200 ή 2408/2200 (με υπερτροφοδότη)	e11-97/68FA-2001/63-0211
253	6475	133,96	11291/Γ4/1891/2-8-06 (Επέκταση IV)	PERKINS 2364/2200	e11-97/68FA-2001/63-0211
254	6480	137,22	11889/Γ4/1890/2-8-06 (Επέκταση IV)	PERKINS 2364/2200 ή 2366/2200 (με υπερτροφοδότη)	e11-97/68FA-2001/63-0211

255	8450 (4WD)	227,12	ΔΕ/0119-00/19-9-06		SISU DIESEL 74.394 CTA-4V	e17-97/68HA-2004/26-0026-00
256	8460 (4WD)	243,44	ΔΕ/0119-00/19-9-06		SISU DIESEL 74.391 CTA-4V	e17-97/68HA-2004/26-0026-00
257	8470 (4WD)	267,92	ΔΕ/0119-00/19-9-06		SISU DIESEL 84.445 CTA-4V	e17-97/68HA-2004/26-0025-02
258	8480 (4WD)	293,76	ΔΕ/0119-00/19-9-06		SISU DIESEL 84.446 CTA-4V	e17-97/68HA-2004/26-0025-02
259	6460 (2,4WD)	113,56	12782/Γ4/2128/5-10-06 (Επέκταση II)		PERKINS 2294/2200 ή	e11-97/68FA-2001/63-0242-02
	(εργ.τύπος D37)				2276/2200 (με υπερτροφοδότη)	
260	5445 (2,4WD)	91,12	12781/Γ4/2129/12-10-06 (Επέκταση VI)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-06
	(εργ.τύπος D23)					
261	5455 (2,4WD)	100,64	12781/Γ4/2129/12-10-06 (Επέκταση VI)		PERKINS 2359/2200	e11-97/68GA-2001/63-0245-06
	(εργ.τύπος D24)					
262	3425 S (2,4WD)	65,28	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02

263	3425 GE (2,4WD)	65,28	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
264	3435 S (2,4WD)	81,6	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02 & 04
265	3435 GE (2,4WD)	81,6	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02 & 04
266	3445 S (2,4WD)	91,12	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
267	3445 GE (2,4WD)	91,12	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
268	3455 S (2,4WD)	98,6	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
269	3455 GE (2,4WD)	98,6	11366/Γ4/1894/2-8-06 (Επέκταση II)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
270	3455 F (2,4WD)	72,5	οικ. 12110/Γ4/2020/2-8-06 (Επέκταση II)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
271	3445 F (2,4WD)	67	οικ. 12110/Γ4/2020/2-8-06 (Επέκταση II)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02

272	3425 F (2,4WD)	65,28	οικ.12112/Γ4/2021/2-8-06 (Επέκταση II)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02 & 04
273	8450 (4WD) (εργ.τύπος YD)	227,12	ΔΕ/0119-01/8-12-06 (Επέκταση I)		SISU DIESEL 74.394 CTA-4V	e17-97/68HA-2004/26-0026-00
274	8460 (4WD) (εργ.τύπος YD)	243,44	ΔΕ/0119-01/8-12-06 (Επέκταση I)		SISU DIESEL 74.391 CTA-4V	e17-97/68HA-2004/26-0026-00
275	8470 (4WD) (εργ.τύπος YD)	267,92	ΔΕ/0119-01/8-12-06 (Επέκταση I)		SISU DIESEL 84.399 CTA-4V	e17-97/68HA-2004/26-0025-02
276	8480 (4WD) (εργ.τύπος YD)	293,76	ΔΕ/0119-01/8-12-06 (Επέκταση I)		SISU DIESEL 84.385 CTA-4V	e17-97/68HA-2004/26-0025-02
277	7490 (4WD) (εργ.τύπος YC)	172,7	14571/Γ4/2506/8-12-06 (Επέκταση III)		SISU DIESEL 66.402 CTA-4V	e17-97/68HA-2004/26-0026-03
278	7495 (4WD) (εργ.τύπος YC)	182,2	14303/Γ4/2457/8-12-06 (Επέκταση III)		SISU DIESEL 66.393 CTA-4V	e17-97/68HA-2004/26-0026-03
279	5460 (2,4WD)	113,56	14186/Γ4/2428/29-12-06 (Επέκταση IV)		PERKINS 2173/2200	e11-97/68FA-2001/63-0214-01
280	5445 (2,4WD)	91,12	14268/Γ4/2438/29-12-06 (Επέκταση VII)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-00

281	5455 (2,4WD)	98,6	14268/Γ4/2438/29-12-06 (Επέκταση VII)	PERKINS 2167/2200	e11-97/68GA-2001/63-0245-00
282	7465 (2,4WD)	118,32	15613/Γ4/2789πε/8-1-07 (Επέκταση 6η)	PERKINS 2362/2200 ή 2366/2200	e11-97/68FA-2001/63-0211-03
283	7475 (2,4WD)	133,96	15613/Γ4/2789πε/8-1-07 (Επέκταση 6η)	PERKINS 2364/2200 ή 2368/2200	e11-97/68FA-2001/63-0211-03
284	7480 (2,4WD)	147	15613/Γ4/2789πε/8-1-07 (Επέκταση 6η)	PERKINS 2622/2200 ή 2194/2200	e11-97/68FA-2001/63-0211-03
285	5465 (2,4WD)	118,32	14185/Γ4/2427/8-12-06 (Επέκταση IV)	PERKINS 2362/2200	e11-97/68FA-2001/63-0211-03
286	6455 (2,4WD)	101,73	ΔΕ/0063-02/9-1-07	PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02 & 03 & 04
287	5435 T (2,4WD)	81,6	12783πε/Γ4/2127/3-1-07	PERKINS 2163/2200	e11-97/68GA-2001/63-0245-05

288	3425 S	65,28	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
289	3435 S	81,6	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02 & 04
290	3445 S	91,12	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
291	3455 S	98,6	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
292	3425 GE	65,28	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02
293	3435 GE	81,6	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02 & 04
294	3445 GE	91,12	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
295	3455 GE	98,6	15095/Γ4/2672πε/31-1-07 (Επέκταση IV)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
296	4435 (2,4WD)	74,12	ΔΕ/0097-01/23-2-07 (Επέκταση I)		SISU DIESEL 33.316 DT	e17-97/68GA-2001/63-0021-00



297	4435 L (2,4WD)	74,12	ΔΕ/0097-01/23-2-07 (Επέκταση Ι)		SISU DIESEL 33.378 DT	e17-97/68GA-2002/88-0021-03
298	4445 (2,4WD)	87,72	ΔΕ/0097-01/23-2-07 (Επέκταση Ι)		SISU DIESEL 44.308 DT	e17-97/68GA-2001/63-0021-00
299	4445 L (2,4WD)	87,72	ΔΕ/0097-01/23-2-07 (Επέκταση Ι)		SISU DIESEL 33.377 DTA	e17-97/68GA-2002/88-0024-00
300	4455 (2,4WD)	97,92	ΔΕ/0097-01/23-2-07 (Επέκταση Ι)		SISU DIESEL 44.307 DT	e17-97/68GA-2001/63-0021-00
301	4455 L (2,4WD)	97,92	ΔΕ/0097-01/23-2-07 (Επέκταση Ι)		SISU DIESEL 33.376 DTA	e17-97/68GA-2002/88-0024-00
302	3435 F (2,4WD)	81,6	8314/Γ4/1209/27-2-07		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-02 & 04
303	2405	35,36	9595/Γ4/1910/16-4-07 (Επέκταση ΙΙ)		MITSUBISHI S4L-Y162ST	e11-97/68KA-2004/26-0083-00
304	2410	40,8	9595/Γ4/1910/16-4-07 (Επέκταση ΙΙ)		MITSUBISHI S4L-Y1T62ST	e11-97/68KA-2004/26-0142-00
305	2415	47,06	9595/Γ4/1910/16-4-07 (Επέκταση ΙΙ)		MITSUBISHI S4L2T	e11-97/68KA-2004/26-0142-00
306	7465 (4WD)	121,04	ΔΕ/0154-00/4-5-07		PERKINS 2984/2200	e11-97/68IA-2004/26-0554

307	7475 (4WD)	136,68	ΔΕ/0154-00/4-5-07		PERKINS 3388/2200	e11-97/68IA-2004/26-0554
308	7480 (4WD)	146,88	ΔΕ/0154-00/4-5-07		PERKINS 3392/2200	e11-97/68IA-2004/26-0554
309	3455 F (2,4WD)	72,5	8313/Γ4/1208/13-3-07 (Επέκταση III)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-02
310	3445 F (2,4WD)	67	8313/Γ4/1208/13-3-07 (Επέκταση III)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-02
311	3425 F (2,4WD)	65,28	8315/Γ4/1210/13-3-07 (Επέκταση III)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-02 & 04
312	5435 T (2,4WD)	81,6	9594/Γ4/1909/17-4-07 (Επέκταση V)		PERKINS 2163/2200	e11-97/68GA-2001/63-0245-06
313	6485 (4WD)	161,84	12442/Γ4/3103/28-6-07 (Επέκταση II)		SISU DIESEL 66.403 CTA-4V	e17-97/68IA-2004/26-0029
			(e13-74/150-2001/3-0078-06)			
314	6490 (4WD)	172,72	12442/Γ4/3103/28-6-07 (Επέκταση II)		SISU DIESEL 66.402 CTA-4V	e17-97/68IA-2004/26-0026
			(e13-74/150-2001/3-0078-06)			

315	6495 (4WD)	182,24	12442/Γ4/3103/28-6-07 (Επέκταση II)		SISU DIESEL 66.393 CTA-4V	e17-97/68IA-2004/26-0026
			(e13-74/150-2001/3-0078-06)			
316	5465 (2,4WD)	118,32	12441/Γ4/3102/29-6-07 (Επέκταση IV)		PERKINS 2362/2200	e11-97/68FA-2001/63-0211-03
			(e3-74/150-2001/3-0025-05)			
317	410 (2WD)	53,72	ΔΕ/0042-04/24-7-07		PERKINS 2226/2200	e11-97/68GA-2001/63-0241-04
	(εργ.τύπος UP10, UP11)		(e13-74/150-2001/3-0107-05 & 06)			
318	420 (2,4WD)	65,28	ΔΕ/0042-04/24-7-07		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-04
	(εργ.τύπος UP20, UP21)		(e13-74/150-2001/3-0107-05 & 06)			
319	430 (2,4WD)	74,8	ΔΕ/0042-04/24-7-07		PERKINS 2232/2200	e11-97/68GA-2001/63-0245-04
	(εργ.τύπος UP30, UP31)		(e13-74/150-2001/3-0107-05 & 06)			

320	6465 (4WD)	121,04	ΔΕ/0162-00/11-7-07		PERKINS 2984/2200 ή 2536/2200	e11-97/68IA-2004/26-0554
	(εργ.τύπος FK)		(ε13-2003/37-2005/67-0024-00)			
321	6475 (4WD)	136,68	ΔΕ/0162-00/11-7-07		PERKINS 3388/2200 ή 3390/2200	e11-97/68IA-2004/26-0554
	(εργ.τύπος FK)		(ε13-2003/37-2005/67-0024-00)			
322	6480 (4WD)	146,88	ΔΕ/0162-00/11-7-07		PERKINS 3392/2200 ή 3394/2200	e11-97/68IA-2004/26-0554
	(εργ.τύπος FK)		(ε13-2003/37-2005/67-0024-00)			
323	7485 (4WD)	158	12443/Γ4/3104/11-7-07 (Επέκταση IV)		SISU DIESEL 66.403 CTA	e17-97/68IA-2004/26-0029-00
324	3455 F (2,4WD)	72,5	14666/Γ4/4351/18-9-07 (Επέκταση IV)		PERKINS 2167/2200	e11-97/68GA-2001/63-0245-03
325	3445 F (2,4WD)	67	14666/Γ4/4351/18-9-07 (Επέκταση IV)		PERKINS 2165/2200	e11-97/68GA-2001/63-0245-03
326	6465	121,04	14826/Γ4/4433/28-9-07 (Επέκταση 6η)		PERKINS 2362/2200 ή	e11-97/68FA-2001/63-0211-03

	(εργ.τύπος FB)		(ε13-74/150-2001/3-0079-00)		2408/2200 (με υπερτροφοδότη)	
327	5465 (2,4WD)	121,04	ΔΕ/0168-00/20-9-07		PERKINS 2984/2200 ή	e11-97/68IA-2004/26-0554-00
	(εργ.τύπος FJ)		(ε3-2005/67-0071-00)		2536/2200 (με υπερτροφοδότη)	
328	5475 (2,4WD)	136,68	ΔΕ/0168-00/20-9-07		PERKINS 3388/2200 ή	e11-97/68IA-2004/26-0554-00
	(εργ.τύπος FJ)		(ε3-2005/67-0071-00)		3392/2200 (με υπερτροφοδότη)	
329	5460 (2,4WD)	116,55	ΔΕ/0171-00/12-10-2007		PERKINS 3263/2200 ή	e11-97/68IA-2004/26-0691-01
	(εργ.τύπος EA - D25)	126,21	(ε3-2005/67-0073-00)		3265/2200 (με υπερτροφοδότη)	
330	5470 (2,4WD)	127,84	ΔΕ/0171-00/12-10-2007		Sisu Diesel 44.435CWA-4V	e11-97/68IA-2004/26-0029-02
	(εργ.τύπος EA - E26)	138,04	(ε3-2005/67-0073-00)			
331	5480 (2,4WD)	140,08	ΔΕ/0171-00/12-10-2007		Sisu Diesel 49.432CWA-4V	e11-97/68IA-2004/26-0029-02

	(εργ.τύπος ΕΑ - E28)	150,28	(ε3-2005/67-0073-00)			
332	2405	35,36	14977/Γ4/4491/16-10-2007 (Επέκταση ΙΙΙ)		Mitsubishi S4L-Y162 ST	e11-97/68KA-2004/26-0083-03
	(εργ.τύπος A05S)		e11-74/150-2001/3-0093-00			
333	2410	40,8	14977/Γ4/4491/16-10-2007 (Επέκταση ΙΙΙ)		Mitsubishi S4L-Y1T62 ST	e11-97/68KA-2004/26-0142-02
	(εργ.τύπος A05S)		e11-74/150-2001/3-0093-00			
334	MF 2415	47,06	14977/Γ4/4491/16-10-2007 (Επέκταση ΙΙΙ)		Mitsubishi S4L2 -T	e11-97/68KA-2004/26-0142-02
	(εργ.τύπος A05S)		e11-74/150-2001/3-0093-00			
335	410 (2WD)	53,72	ΔΕ/0042-05/14-11-07 (ε13*74/150*2001/3*0107*05)		PERKINS 2226/2200	e11*97/68/GA*2001/63*0245*05 & e11*97/68/GA*2001/63*0245*06
	(εργ.τύπος 4910, 4911)					
336	420 (2,4WD)	65,28	ΔΕ/0042-05/14-11-07 (ε13*74/150*2001/3*0107*05)		PERKINS 2230/2200	e11*97/68/GA*2001/63*0245*05 & e11*97/68/GA*2001/63*0245*06
	(εργ.τύπος 4920, 4921)					
337	430 (2,4WD)	74,8	ΔΕ/0042-05/14-11-07 (ε13*74/150*2001/3*0107*05)		PERKINS 2232/2200	e11*97/68/GA*2001/63*0245*05 & e11*97/68/GA*2001/63*0245*06
	(εργ.τύπος 4930, 4931)					

338	7485 (4WD)	158	15261/Γ4/4623/18-12-07 (επέκταση V)		SISU DIESEL 66.403 CTA	e17*97/68IA*2004/26*0029*00
	(εργ.τύπος ΥC (Υ34))		(e1-2001/3-0212-06)			
339	7490 (4WD)	172,7	15262/Γ4/4624π.ε./7-01-08 (επέκταση IV)		SISU DIESEL 66.402 CTA-4V	e17*97HA-2004/26*0026*03
	(εργ.τύπος ΥC (Υ35))		(e1-2001/3-0212-06)			
340	7495 (4WD)	182,2	15263/Γ4/4625π.ε./07-01-08 (επέκταση IV)		SISU DIESEL 66.393 CTA-4V	e17*97HA*2004/26*0026*03
	(εργ.τύπος ΥC (Υ36))		(e1-2001/3-0212-06)			
341	MF 6475 (4WD) (εργ.τύπος FK)	136,68	17588/Γ4/5625/28-1-08π.ε. (επέκταση 6η) (e13*74/150*2001/3*0079*06)		Perkins 2364/2200	e11-97/68FA-2001/63-0211-03
342	MF 6480 (4WD) (εργ.τύπος FK)	146,88	17563/Γ4/5613/28-1-08π.ε. (επέκταση 6η) (e13*74/150*2001/3*0079*06)		Perkins 2364/2200 2366/2200 (με υπερτροφοδότη)	e11-97/68FA-2001/63-0211-03
343	MF 410 (2WD) (εργ.τύπος UP)	53,72	ΔΕ/0042-06/25-1-08 (e13*74/150*2001/3*0107*07)		Perkins 2226/2200	e11-97/68GA-2001/63-0241-04

344	MF 420 (2,4WD) (εργ.τύπος UP)	65,28	ΔΕ/0042-06/25-1-08 (ε13*74/150*2001/3*0107*07)		PERKINS 2230/2200	e11-97/68GA-2001/63-0245-04
345	MF 430 (2,4WD) (εργ.τύπος UP)	74,8	ΔΕ/0042-06/25-1-08 (ε13*74/150*2001/3*0107*07)		PERKINS 2232/2200	e11-97/68GA-2001/63-0245-04
346	MF 5425 (2,4WD) (εργ.τύπος D21)	73,44	17306/Γ4/5492/14-2-08 (επέκταση 6η) (ε3*74/150*2001/3*0026*07)		PERKINS 2159/2200	e11-97/68GA-2001/63-0241-04
347	MF 5435 (2,4WD) (εργ.τύπος D22)	81,6	17306/Γ4/5492/14-2-08 (επέκταση 6η) (ε3*74/150*2001/3*0026*07)		PERKINS 2161/2200	e11-97/68GA-2001/63-0241-04
348	MF 5435 T (2,4WD) (εργ.τύπος D26)	81,6	17306/Γ4/5492/14-2-08 (επέκταση 6η) (ε3*74/150*2001/3*0026*07)		PERKINS 2163/2200	e11-97/68GA-2001/63-0245-05
349	8450 (4WD) (εργ.τύπος YD)	227,12	ΔΕ/0119-02/25-2-08 (ε1-2001/3-0229-04)		Sisu Diesel 74.394 CTA-4V	e17-97/68HA-2004/26-0026-00
350	8460 (4WD) (εργ.τύπος YD)	243,44	ΔΕ/0119-02/25-2-08 (ε1-2001/3-0229-04)		Sisu Diesel 74.391 CTA-4V	e17-97/68HA-2004/26-0026-00



351	8470 (4WD) (εργ.τύπος YD)	267,92	ΔΕ/0119-02/25-2-08 (ε1-2001/3-0229-04)		Sisu Diesel 84.445 CTA-4V	e17-97/68HA-2004/26-0025-02
352	8480 (4WD) (εργ.τύπος YD)	293,76	ΔΕ/0119-02/25-2-08 (ε1-2001/3-0229-04)		Sisu Diesel 84.446 CTA-4V	e17-97/68HA-2004/26-0025-02
353	3455C (ερπυστρ.) (εργ.τύπος ΟΤΜΜ/Α, ΟΤΜΜ/Β)	97,24	ΔΕ/0062-01/5-3-08 (LH/A4041, LH/A4041A)		Perkins 2169/2200	e11-97/68GA-2001/63-0245-05 και 06
354	6485 (4WD) (εργ.τύπος Y29)	161,84    176,12 (boosted)	8580/Γ4/1322/15-2-08 (επέκταση 3η) (ε13*74/150*2001/3*0078*07)		Sisu Diesel 66.403 CTA-4V	e17*97/68IA*2004/26*0029
355	6490 (4WD) (εργ.τύπος Y30)	172,12    187,68 (boosted)	8580/Γ4/1322/15-2-08 (επέκταση 3η) (ε13*74/150*2001/3*0078*07)		Sisu Diesel 66.402 CTA-4V	e17*97/68HA*2004/26*0026
356	6495 (4WD) (εργ.τύπος Y31)	182,24    198,56 (boosted)	8580/Γ4/1322/15-2-08 (επέκταση 3η) (ε13*74/150*2001/3*0078*07)		Sisu Diesel 66.393 CTA-4V	e17*97/68HA*2004/26*0026
357	5435 (2,4WD) (εργ.τύπος DE)	101,3	ΔΕ/0203-00/16-4-08 (ε3-2005/67-0077-00)		Perkins 2972/2200	e17*97/68JA*2004/26*0879*00

358	5445 (2,4WD) (εργ.τύπος DE)	95,9 101,5 (boosted)	ΔΕ/0203-00/16-4-08 (ε3-2005/67-0077-00)		Perkins 3259/2200 (χωρίς υπερτροφοδότη) 3261/2200 (με υπερτροφοδότη)	e17*97/68JA*2004/26*0810*0
359	5455 (2,4WD) (εργ.τύπος DE)	101,5 116,5 (boosted)	ΔΕ/0203-00/16-4-08 (ε3-2005/67-0077-00)		Perkins 3261/2200 (χωρίς υπερτροφοδότη) 3263/2200 (με υπερτροφοδότη)	e17*97/68IA*2004/26*0691*01
360	6445 (2,4WD) (εργ.τύπος DH)	95,88 101,46	ΔΕ/0202-00/15-4-08 (ε13*2003/37*0031*00) (ε13*2003/37*0031*01) (ε13*2003/37*0031*02)		Perkins 3259/2200 (χωρίς υπερτροφοδότη) 3261/2200 (με υπερτροφοδότη)	e11*97/68/DA*2004/26*0810 e11*97/68/IA*2004/26*0691*00
361	6455 (2,4WD) (εργ.τύπος DH)	101,46 116,55	ΔΕ/0202-00/15-4-08 (ε13*2003/37*0031*00) (ε13*2003/37*0031*01) (ε13*2003/37*0031*02)		Perkins 3261/2200 (χωρίς υπερτροφοδότη) 3263/2200 (με υπερτροφοδότη)	e11*97/68/IA*2004/26*0691*00 e11*97/68/IA*2004/26*0691*01

362	6460 (2,4WD) (εργ.τύπος DH)	117 127,84	ΔΕ/0202-00/15-4-08 (ε13*2003/37*0031*00) (ε13*2003/37*0031*01) (ε13*2003/37*0031*02)		Sisu Diesel 44.436 CWA-4V (χωρίς υπερτροφοδότη) 44.436 CWA-4V (με υπερτροφοδότη)	e17*97/68/IA*2004/26*0029*0 0 e17*97/68/IA*2004/26*0029*0 2
363	6470 (2,4WD) (εργ.τύπος DH)	127,84 138,04	ΔΕ/0202-00/15-4-08 (ε13*2003/37*0031*00) (ε13*2003/37*0031*01) (ε13*2003/37*0031*02)		Sisu Diesel 44.435 CWA-4V (χωρίς υπερτροφοδότη) 44.435 CWA-4V (με υπερτροφοδότη)	e17*97/68/IA*2004/26*0029*0 0 e17*97/68/IA*2004/26*0029*0 2
364	7485 (4WD) (εργ.τυπ. YC-Y34)	162	9243/Γ4/1681/11-4-08 (ε1*2001/3*0212*07)		Sisu Diesel Inc 66.403 CTA	e17*97/68IA*2004/26*0029*00
365	7490 (4WD) (εργ.τυπ. YC)	172,7	9245/Γ4/1683/11-4-08 (ε1*2001/3*0212*07)		Sisu Diesel Inc 66.402 CTA-4V	e17*97/68/IA*2004/26*0029*0 0
366	7495 (4WD) (εργ.τυπ. YC-Y36)	186,32	9244/Γ4/1682/11-4-08 (ε1*2001/3*0212*07)		Sisu Diesel Inc 66.393 CTA-4V	e17*97/68/IA*2004/26*0029*0 0
367	7465 (4WD) (εργ.τυπ. FL)	121,04	ΔΕ/0154-01/11-4-08 (ε1*2003/37*0300*01)		Perkins 2984/2200	e11*97/68/IA*2004/26*0554
368	7475 (4WD) (εργ.τυπ. FL)	136,68	ΔΕ/0154-01/11-4-08 (ε1*2003/37*0300*01)		Perkins 3388/2200	e11*97/68/IA*2004/26*0554

369	7480 (4WD) (εργ.τυπ. FL)	146,88	ΔΕ/0154-01/11-4-08 (e1*2003/37*0300*01)		Perkins 3392/2200	e11*97/68/IA*2004/26*0554
370	6485 (4WD)	161,84	9242/Γ4/1680/23-5-08 (e13*74/150*2001/3*0078*08)		Sisu Diesel 66.403 CTA-4V	e17*97/68/IA*2004/26*0029
371	6490 (4WD)	172,72	9242/Γ4/1680/23-5-08 (e13*74/150*2001/3*0078*08)		Sisu Diesel 66.402 CTA-4V	e17*97/68/HA*2004/26*0026
372	6495 (4WD)	182,24	9242/Γ4/1680/23-5-08 (e13*74/150*2001/3*0078*08)		Sisu Diesel 66.393 CTA-4V	e17*97/68/HA*2004/26*0026
373	3625 (2,4WD) (εργ.τυπ. HTR)	69,36	ΔΕ/0222-00/11-6-08 (e3-2005/67-0059-02)		Sisu Diesel 33.485 DTA	e17-97/68JA-2004/26-0031-02
374	3635 (2,4WD) (εργ.τυπ. HTR)	80,24	ΔΕ/0222-00/11-6-08 (e3-2005/67-0059-02)		Sisu Diesel 33.484 DTA	e17-97/68JA-2004/26-0031-02
375	3645 (2,4WD) (εργ.τυπ. HTR)	92,48	ΔΕ/0222-00/11-6-08 (e3-2005/67-0059-02)		Sisu Diesel 33.483 DTA	e17-97/68JA-2004/26-0031-02

376	6490 (4WD) (εργ. τύπος Y30)	187,68	11693/Γ4/3033/10-6-08 (e13*74/150*2001/3*0078*00) (e13*2001/3*0078*01,*02,*03, *04) (e13*74/150*2001/3*0078*06, *07)	Sisu Diesel 66.402 CTA-4V	e17*97/68HA*2004/26*0026*0 3
377	6495 (4WD) (εργ. τύπος Y31)	198,56	11693/Γ4/3033/10-6-08 (e13*74/150*2001/3*0078*00) (e13*2001/3*0078*01,*02,*03, *04) (e13*74/150*2001/3*0078*06, *07)	Sisu Diesel 66.393 CTA-4V	e17*97/68HA*2004/26*0026*0 3
378	4435 (2,4WD)	74,12	ΔΕ/0097-02/19-6-2008 (Επέκταση II) (e17*2003/37*0045*04)	Sisu Diesel 33.503 DTA	e17-97/68JA-2004/26-0031-01
379	4445 (2,4WD)	87,72	ΔΕ/0097-02/19-6-2008 (Επέκταση II) (e17*2003/37*0045*04)	Sisu Diesel 44.504 DTA	e17-97/68JA-2004/26-0031-01

380	4455 (2,4WD)	101,32	ΔΕ/0097-02/19-6-2008 (Επέκταση II) (ε17*2003/37*0045*04)		Sisu Diesel 44.506 DTA	e17-97/68JA-2004/26-0031-01
381	5465 (2,4WD) (εργ. τυπ. F1)	121,04 129,88 (υπερ/της)	ΔΕ/0168-01/26-6-08 (ε3*2005/67*0071*01)		Perkins 2984/2200 2536/2200 (με υπερτροφοδότη)	e11-97/68JA-2004/26-0554-00
382	5475 (2,4WD) (εργ. τυπ. F1)	136,68 146,88 (υπερ/της)	ΔΕ/0168-01/26-6-08 (ε3*2005/67*0071*01)		Perkins 3388/2200 3392/2200 (με υπερτροφοδότη)	e11-97/68JA-2004/26-0554-00
383	3625 (V,F,S,GE) (εργ. τυπ. HTR2)	69,36	ΔΕ/0227-00/16-7-2008 (ε3*2005/67*0080*00)		Sisu Diesel 33.485 DTA	e17*97/68JA*2004/26*0031*0 2
384	3635 (V,F,S,GE) (εργ. τυπ. HTR2)	80,24	ΔΕ/0227-00/16-7-2008 (ε3*2005/67*0080*00)		Sisu Diesel 33.484 DTA	e17*97/68JA*2004/26*0031*0 2
385	3645 (V,F,S,GE) (εργ. τυπ. HTR2)	92,48	ΔΕ/0227-00/16-7-2008 (ε3*2005/67*0080*00)		Sisu Diesel 33.483 DTA	e17*97/68JA*2004/26*0031*0 2
386	3655 (V,F,S,GE) (εργ. τυπ. HTR2)	100,64	ΔΕ/0227-00/16-7-2008 (ε3*2005/67*0080*00)		Sisu Diesel 33.482 DTA	e17*97/68JA*2004/26*0031*0 2

387	3625 (2,4WD) (εργ. τυπ. HTR)	69,36	ΔΕ/0222-01/24-7-2008 (ε3*2005/67*0059*02)		Sisu Diesel 33.485 DTA	e17*97/68JA*2004/26*0031*0 0 & 01
388	3635 (2,4WD) (εργ. τυπ. HTR)	80,24	ΔΕ/0222-01/24-7-2008 (ε3*2005/67*0059*02)		Sisu Diesel 33.484 DTA	e17*97/68JA*2004/26*0031*0 0 & 01
389	3645 (2,4WD) (εργ. τυπ. HTR)	92,48	ΔΕ/0222-01/24-7-2008 (ε3*2005/67*0059*02)		Sisu Diesel 33.483 DTA	e17*97/68JA*2004/26*0031*0 0 & 01
390	MF 6497 (2,4WD) (εργ.τ.ΥΑ)	197 turbo	(217	13703/Γ4/4014/20-10-08 ΔΕ/0244-00 (ε13-74/150-2001/3-0095-08 & 09)	Sisu Diesel 74.398 CTA	e17-97/68HA-2004/26-0026- 00
391	MF 6499 (2,4WD) (εργ.τ. ΥΑ)	217 turbo	(227	13703/Γ4/4014/20-10-08 ΔΕ/0244-00 (ε13-74/150-2001/3-0095-08 & 09)	Sisu Diesel 74.392 CTA	e17-97/68HA-2004/26-0026- 00
392	MF 3455C ερπυστριοφόρος (εργ.τ. ΟΤΜΜ)	97,24		ΔΕ/0062-02/16-7-08 (LH/A4041/B, LH/A4041/C)	PERKINS 2169/2200	e11-97/68GA-2001/63- 0245/02 &03 & 04 & 05 & 06

393	3425 GEV (2,4WD) (εργ.τ. A10N)	65,28	12432/Γ4/3408/28-7-08 (Επέκταση 5η) (ε13-74/150-2000/25-0036-03)	PERKINS 2230/2200	ε11-97/68GA-2001/63-0245-02
394	3435 GEV (2,4WD) (εργ.τ. A10N)	81,6	12432/Γ4/3408/28-7-08 (Επέκταση 5η) (ε13-74/150-2000/25-0036-03)	PERKINS 2161/2200	ε11-97/68GA-2001/63-0241-02
395	5460 (2,4WD) (εργ.τύπος D25)	116,55 126,21	ΔΕ/0171-01/20-10-2008 (ε3-2005/67-0073-01)	PERKINS 3263/2200 ή 3265/2200 (με υπερτροφοδότη)	ε11-97/68IA-2004/26-0691-01
396	5470 (2,4WD) (εργ.τύπος E26)	127,84 138,04	ΔΕ/0171-01/20-10-2008 (ε3-2005/67-0073-01)	Sisu Diesel 44.435CWA-4V	ε17-97/68IA-2004/26-0029-02
397	5480 (2,4WD) (εργ.τύπος E28)	140,08 150,28	ΔΕ/0171-01/20-10-2008 (ε3-2005/67-0073-01)	Sisu Diesel 49.432CWA-4V	ε11-97/68IA-2004/26-0029-02
398	5425 (2,4WD) (εργ.τ. DE)	92,48	ΔΕ/0203-01/30-12-2008 (ε3-2005/67-0077-01 & 02)	PERKINS 2979/2200	ε11-97/68JA-2004/26-0884-00



399	5435 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-01/30-12-2008 (ε3-2005/67-0077-01 & 02)		PERKINS 2979/2200	e17-97/68JA-2004/26-0879-00
400	5445 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-01/30-12-2008 (ε3-2005/67-0077-01 & 02)		PERKINS 2979/2200	e17-97/68JA-2004/26-0810-00
401	5455 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-01/30-12-2008 (ε3-2005/67-0077-01 & 02)		PERKINS 2979/2200	e17-97/68JA-2004/26-0691-00
402	5465 (2,4WD)	121,04 ή 129,88	ΔΕ/0168-02/10-6-2009 (Επέκταση II) (ε3*2005/67*0071*02)		PERKINS 2984/2200 ή 2536/2200 (με υπερτροφodότη)	e11*97/68IA*2004/26*0554*00
403	5475 (2,4WD)	136,68 ή 146,88	ΔΕ/0168-02/10-6-2009 (Επέκταση II) (ε3*2005/67*0071*02)		PERKINS 3388/2200 ή 3392/2200 (με υπερτροφodότη)	e11*97/68IA*2004/26*0554*00
404	7465 (4WD)	121,04 ή 129,88	ΔΕ/0154-02/10-6-2009 (Επέκταση II) (ε1*2003/37*0300*02)		PERKINS 2984/2200 ή 2536/2200 (με υπερτροφodότη)	e11*97/68IA*2004/26*0554*00

405	7475	136,88 ή 158,44	ΔΕ/0154-02/10-6-2009 (Επέκταση ΙΙ) (ε1*2003/37*0300*02)	PERKINS 3388/2200 ή 3390/2200 (με υπερτροφοδότη)	e11*97/68IA*2004/26*0554*00
406	7480	146,88 ή 163,2	ΔΕ/0154-02/10-6-2009 (Επέκταση ΙΙ) (ε1*2003/37*0300*02)	PERKINS 3392/2200 ή 3394/2200 (με υπερτροφοδότη)	e11*97/68IA*2004/26*0554*00
407	6465	121,04 ή 129,88	ΔΕ/0162-01/10-6-2009 (Επέκταση Ι) (ε13*2003/37*0024*01)	PERKINS 2984/2200 ή 2536/2200 (με υπερτροφοδότη)	e11*97/68IA*2004/26*0554
408	6475	136,68 ή 158,44	ΔΕ/0162-01/10-6-2009 (Επέκταση Ι) (ε13*2003/37*0024*01)	PERKINS 3388/2200 ή 3390/2200 (με υπερτροφοδότη)	e11*97/68IA*2004/26*0554
409	6480	146,88 ή 163,2	ΔΕ/0162-01/10-6-2009 (Επέκταση Ι) (ε13*2003/37*0024*01)	PERKINS 3392/2200 ή 3394/2200 (με υπερτροφοδότη)	e11*97/68IA*2004/26*0554
410	6497 (4WD) (εργ.τύπος ΥΑ)	197,2	ΔΕ/0288-00/5-8-2009 (ε13*2003/37*0180*00)	SISU 74.398 CTA	e17*97/68HA*2004/26*0026

411	6499 (4WD) (εργ.τύπος YA)	217,6	ΔΕ/0288-00/5-8-2009 (ε13*2003/37*0180*00)	SISU 74.392 CTA	e17*97/68HA*2004/26*0026
412	8650 (4WD) (εργ.τύπος YH)	254,32	ΔΕ/0298-00/26-10-2009 (ε13*2003/37*0174*00)	SISU DIESEL 84531 CTA-4V	e17*97/68HA*2004/26*0025*06
413	8660 (4WD) (εργ.τύπος YH)	278,8	ΔΕ/0298-00/26-10-2009 (ε13*2003/37*0174*00)	SISU DIESEL 84532 CTA-4V	e17*97/68HA*2004/26*0025*06
414	8670 (4WD) (εργ.τύπος YH)	304,64	ΔΕ/0298-00/26-10-2009 (ε13*2003/37*0174*00)	SISU DIESEL 84533 CTA-4V	e17*97/68HA*2004/26*0025*06
415	8680 (4WD) (εργ.τύπος YH)	334,56	ΔΕ/0298-00/26-10-2009 (ε13*2003/37*0174*00)	SISU DIESEL 84449 CTA-4V	e17*97/68HA*2004/26*0025*06
416	7485 (4WD) (εργ.τύπος YC)	161,84 ή 176,12	ΔΕ/0305-00/3-12-2009 (ε1*2003/37*0354*00)	SISU DIESEL 66.403 CTA-4V	e17*97/68IA*2004/26*0029*00
417	7490 (4WD) (εργ.τύπος YC)	172,82 ή 187,68	ΔΕ/0305-00/3-12-2009 (ε1*2003/37*0354*00)	SISU DIESEL 66.402 CTA-4V	e17*97/68HA*2004/26*0026*03

418	7495 (4WD) (εργ.τύπος YC)	182,24 ή 198,56	ΔΕ/0305-00/3-12-2009 (ε1*2003/37*0354*00)		SISU DIESEL 66.393 CTA-4V	e17*97/68HA*2004/26*0026*0 3
419	8650 (4WD) (εργ.τύπος YG)	254,32	ΔΕ/0307-00/28-12-09 (ε13*2003/37*0151*00)		SISU DIESEL 84.534 CTA-4V	e17*97/68HA*2004/26*0033*0 1
420	8660 (4WD) (εργ.τύπος YG)	278,8	ΔΕ/0307-00/28-12-09 (ε13*2003/37*0151*00)		SISU DIESEL 84.535 CTA-4V	e17*97/68HA*2004/26*0033*0 1
421	8670 (4WD) (εργ.τύπος YG)	304,64	ΔΕ/0307-00/28-12-09 (ε13*2003/37*0151*00)		SISU DIESEL 84.536 CTA-4V	e17*97/68HA*2004/26*0033*0 1
422	8680 (4WD) (εργ.τύπος YG)	334,56	ΔΕ/0307-00/28-12-09 (ε13*2003/37*0151*00)		SISU DIESEL 84.537 CTA-4V	e17*97/68HA*2004/26*0033*0 1
423	8690 (4WD) (εργ.τύπος YG)	353,6	ΔΕ/0307-00/28-12-09 (ε13*2003/37*0151*00)		SISU DIESEL 84.583 CTA-4V	e17*97/68HA*2004/26*0033*0 1
424	7497 (4WD) (εργ.τύπος YF)	197,2 & 217,2 (turbo)	ΔΕ/0318-00/03-03-2010 (ε1*2003/37*0376*00)		SISU DIESEL 74.398 CTA	e17*97/68HA*2004/26*0026*0 3

425	7499 (4WD) (εργ. τύπος ΥΦ)	217,6 & 227 (turbo)	ΔΕ/0318-00/03-03-2010 (ε1*2003/37*0376*00)		SISU DIESEL 74.392 CTA	e17*97/68HA*2004/26*0026*03
426	7485 (4WD) (εργ. τύπος ΥC)	161,84 & 176,12 (με υπερτροφ.)	ΔΕ/0305-01/30-04-2010 (ε1*2003/37*0354*01)		SISU DIESEL 66.403 CTA-4V	e17*97/68IA*2004/26*0029*00
427	7490 (4WD) (εργ. τύπος ΥC)	172,72 & 187,68 (με υπερτροφ.)	ΔΕ/0305-01/30-04-2010 (ε1*2003/37*0354*01)		SISU DIESEL 66.402 CTA-4V	e17*97/68HA*2004/26*0026*03
428	7495 (4WD) (εργ. τύπος ΥC)	182,24 & 198,56 (με υπερτροφ.)	ΔΕ/0305-01/30-04-2010 (ε1*2003/37*0354*01)		SISU DIESEL 66.393 CTA-4V	e17*97/68HA*2004/26*0026*03
429	5425 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-02/23-7-2010 (ε3-2005/67-0077-03 & 04)		PERKINS 2979/2200	e17-97/68JA-2004/26-0879-02
430	5435 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-02/23-7-2010 (ε3-2005/67-0077-03 & 04)		PERKINS 2979/2200	e17-97/68JA-2004/26-0879-02
431	5445 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-02/23-7-2010 (ε3-2005/67-0077-03 & 04)		PERKINS 2979/2200	e17-97/68JA-2004/26-0810-00

432	5455 (2,4WD) (ερ.τ. DE)	92,48	ΔΕ/0203-02/23-7-2010 (ε3-2005/67-0077-03 & 04)		PERKINS 2979/2200	e17-97/68JA-2004/26-0691-01
433	8650 (4WD) (ερ.τ. YG)	255 (με*03)	ΔΕ/0307-01/10-5-2012 (ε13-2003/37-0151*02 & 03)	ΑΔΑ : Β49ΗΒ ΓΤ1	ARCO 5154 84.AWI.655 (με την ε13*2003/37*0151*03	e17*97/68LA*2010/26*0037*0 0
434	8660 (4WD) (ερ.τ. YG)	280 (με*03)	ΔΕ/0307-01/10-5-2012 (ε13-2003/37-0151*02 & 03)	ΑΔΑ : Β49ΗΒ ΓΤ1	ARCO 5154 84.AWI.656 (με την ε13*2003/37*0151*03	e17*97/68LA*2010/26*0037*0 0
435	8670 (4WD) (ερ.τ. YG)	305 (με*03)	ΔΕ/0307-01/10-5-2012 (ε13-2003/37-0151*02 & 03)	ΑΔΑ : Β49ΗΒ ΓΤ1	ARCO 5154 84.AWI.657 (με την ε13*2003/37*0151*03	e17*97/68LA*2010/26*0037*0 0
436	8680 (4WD) (ερ.τ. YG)	335 (με*03)	ΔΕ/0307-01/10-5-2012 (ε13-2003/37-0151*02 & 03)	ΑΔΑ : Β49ΗΒ ΓΤ1	ARCO 5154 84.AWI.658 (με την ε13*2003/37*0151*03	e17*97/68LA*2010/26*0037*0 0

437	8690 (4WD) (ερ.τ. ΥΓ)	356 (με*03)	ΔΕ/0307-01/10-5-2012 (ε13-2003/37-0151*02 & 03)	ΑΔΑ : Β49ΗΒ ΓΤ1	ARCO 5154 84.AWI.659 (με την ε13*2003/37*0151*03	ε17*97/68LA*2010/26*0037*0 0
-----	--------------------------	----------------	--	--------------------	---	---------------------------------